



**POMERANIAN
TIMBER**

LUMBER CATALOGUE



POMERANIAN TIMBER

Table of contents

I. ABOUT US

II. UNEDGED BEECH LUMBER

Grades:

A

B

B Colour

C

III. TRADING SCHEME

European Wood Products

Logs

Tropical Wood Products



About Us

On the fragmented Polish market, we are the largest manufacturer of sawn beech timber with the annual timber sawing capacity from 50 000m³ to 60 000m³. The beech material which is obtained mainly from the regions of north-western Poland is characterised by a noble bright colour and high density, unique for this timber species.

In 2017, we completed the investment in the new line of timber sawing. Thanks to using five frame band saws, we are able to process 5000m³ of the material monthly. 30 years of experience in the industry allows us to provide our customers with the quality of sawn timber adequate to their needs. Regardless of our own production, we offer a range of sawn beech timber types, manufactured in smaller plants cooperating with us, which are not present on the global market on their own.

Pomeranian Timber S.A., as one of the few companies in Poland, is a significant importer of sawn timber and tropical timber products. We specialise in particular in importing window and door profiles and a wide range of sawn tropical timber types. In this field, we cooperate only with companies whose products meet the strict criteria for the exploitation of tropical forests.

Apart from beech timber, which is our main product, we also offer sawn softwood timber and other types of sawn hardwood timber - ash timber and oak timber in particular. The company sells significant amounts of material intended for sawmills and for cutting on the Asian market. The products we have in the regular sale include beech, ash, alder material and softwood (pine and spruce) material as well.

Since 2007, we have FSC® certificate number SGSCH-COC-003960, issued by SGS Polska sp. z o.o. Pomeranian Timber S.A. uses the material coming from forests certified and managed according to the principles of responsible forestry. When you buy products marked with the FSC® logo, you can be sure that the timber used for their production was obtained with respect to the principles of environmental protection.

We systematically invest in new labour-saving technologies of timber processing which enables the company to maintain relatively stable prices with increasing costs of the material and workforce. Let's grow together.





65 000m³ a year capacity

Production Line



Four new frame band saws



Speed

Precision



BEECH
UNEDGED LUMBER



A Grade

A Grade



Better side - one side clear and better,
back side - small healthy knots allowed. Cracks
max. 10% of the length of the board, incidentally
a small sound red heart on the back side.

Beech lumber, unedged, kiln dried, steamed
Standard thickness: 26/32/38/50mm
Width: 120mm+
Length: 2000mm+

B Grade

B Grade



Better side - max. one knot per running meter,
back side - knots allowed, red heart max. 20%
of the width of the board. Cracks max 20%
of the length of the board.

Beech lumber, unedged, kiln dried, steamed
Standard thickness: 26/32/38/50mm
Width: 100mm+
Length: 2000mm+

B Colour Grade



Better side – max. one knot per running meter,
back side – knots allowed. Cracks max. 20%
of the length of the board., red heart
not limited, not steamed.

B Colour Grade



Beech lumber, unedged, kiln dried not steamed
Standard thickness: 26/32/38mm
Width: 100mm+
Length: 2000mm+

C Grade



Knots not limited, the red heart and discoloration not limited, cracks max. 50% of the length of the board, unedged lumber/ one side edged, not steamed.

C Grade



Beech lumber, unedged, kiln dried, not steamed
Standard thickness: 26/32/38/50mm
Width: 120mm+
Length: 2000mm+

TRADING
SCHEME



European Lumber



Pomeranian Timber offers many European species lumber as well as scantlings.

- pine laminated window and door scantlings
 - pine lumber
 - oak lumber
 - ash lumber
- beech edged lumber super short (300-950)/short (1000-2000)/long (2100mm+)

Tropical Lumber



- laminated window and door scantlings; Red Meranti (Indonesia), Red/White Seraya (Malaysia) grades „standard”, „prime” and „select & better” solid layers and finger jointed
- laminated window and door scantlings Sapeli
- plywood 4-24mm classical and industrial; Okoume i Bintangoru, PUR boards, laminated panels
- sawn timber edged and unedged: Sapeli, Iroko, Kossipo, Kotibe, Wawa, Wenge/Frake (Africa), Meranti /Seraya, Merbau (Asia), wolnut and US and many more.

Logs



Pomeranian Timber is a major beech log supplier as well as other European species logs like ash, pine, red oak. The grading system is based on four main grades A, B, C, D as well as purpose based like saw, veneer, plywood logs. Beech logs can be FSC certified.

Pomeranian Timber S.A.
HEADQUARTERS
ul. Biskupa Ignacego Krasickiego 1 B
71-333 Szczecin
Tel: + 48 91 48 77 446; 91 48 77 381
Fax: + 48 91 62 419
e-mail: office@pomeriantimber.pl
www.pomeriantimber.pl

Pomeranian Timber S.A.
SAWMILL
ul. Studnicka 1
73-140 Ińsko
Tel/Fax: +48 91 562 30 95



**POMERANIAN
TIMBER**